

MONITORING IMPLEMENTATION PLAN (MIP) STORM EVENT SAMPLING PROCEDURE & RECORD SAMPLING CONDITIONS.

- ☐ 1. Produces a discharge for at least one drainage area.
- ☐ 2. Is preceded by 48 hours with no discharge from any drainage area.
- ☐ 3.1 Samples shall be collected within four (4) hours of the start of discharge **OR**
- ☐ 3.2 The start of facility operations if the QES occurs within the previous 12-hour period.
- ☐ 4. All storm water discharge locations shall be sampled.
- ☐ 5. Sample collection is required during scheduled facility operating hours and when sampling conditions are safe.

SAMPLING RECORD

Facility:			
Sample Collected by:			
Date	Time event started:	☐ a.m. ☐ p.m.	Time sampled: ☐ a.m. ☐ p.m.

Field pH Meter

pH Meter ID No./Description:
Calibration Date/Time:

Field pH Measurements

pH measurement to be taken within 15 minutes of when sample was taken.

Discharge Location	pH	Time	By

SAMPLES COLLECTED

Discharge Location	Time	Samples stored in refrigerator.

Samples: ☐ Picked up by lab. ☐ Delivered to lab. ☐ Shipped to lab via:

CHAIN OF CUSTODY

Relinquished by	Company	Printed Name	Signature	Date	Time
Received by	Company	Printed name	Signature	Date	Time